# Tektronix 6 Series B MSO vs. Rohde & Schwarz RTO2000

## COMPETITIVE FACT SHEET

#### **Oscilloscope Performance Specs**

#### Tektronix 6 Series B MSO

- ✓ 10 GHz & 50 GS/s on two channels 10 GHz & 25 GS/s on four channels
- ✓ Up to 64 digital channels (500 MHz, 25 GS/s) ×
- ✓ 100 GS/s of 12-bit ADCs shared for analog or digital FlexChannels<sup>™</sup>
- ✓ Full HD 1920 x 1080 15.6" Multi-touch capacitive display
- ✓ Industry's Only Std. Closed Embedded OS or optional Windows 10 OS
- ✓ 1 GHz, 3.9 pF passive probes included

- Rohde & Schwarz RTO2000
- 6 GHz & 20 GS/s on two channels
  - MSO option 16 digital channels (400 MHz, 5 GS/s)
- 40 GS/s of 8-bit ADCs used for analog channels only
- WXGA 1280 x 800 12.1" Multi-touch capacitive display
- 🗴 Windows 7 OS Only
- 500 MHz, 10pF passive probes included

#### Best in Class Noise Performance

Bandwidth	Volts / Div	6 Series MSO	RTO2000
1 GHz	1 mV	51.1 μV 🖌	100 µV
	10 mV	82.9 μν 🗸	200 μV
	100 mV	829 μV 🖌	1.65 mV
	1 V	6.22 mV 🗸	17 mV
4 GHz	1 mV	97.4 μν 🗸	240 µV
	10 mV	117 μV 🖌	420 μV
	100 mV	1.73 mV 🗸	3.6 mV
	1 V	13.3 mV 🗸	36 mV
6 GHz	1 mV	124 μV 🗸	330 µV
	10 mV	234 μV 🖌	480 μV
	100 mV	2.68 mV 🗸	3.7 mV
	1 V	19 mV 🗸	38.8 mV



The 6 Series MSO features the same award-winning user interface as the 5 Series MSO



reddot award

### Analog to Digital Converter (ADC)

#### Tektronix 6 Series B MSO

- ✓ 12-bit ADC and 25 GS/s on <u>four</u> channels
- Tek custom ASIC inputs both analog or digital channels
- ✓ High Res filtering comes standard!
- ✓ ENOB: 8.45 bits (1 GHz), 7.95 bits (2.5 GHz), 7.6 bits (4 GHz), 6.85 bits (8 GHz)

#### Rohde & Schwarz RTO2000

- 8-bit ADC and 10 GS/s on four channel
- Only handles analog channels
- HD filter mode costs \$1,400
- ENOB: >7 bits measured at ADC

# **Tektronix**

# Tektronix 6 Series B MSO vs. Rohde & Schwarz RTO2000

### **COMPETITIVE FACT SHEET**

#### Key Specifications Comparison

	Tektronix 6 Series B MSO		Rohde & Schwarz RTO2000	
Bandwidth models	✓	1 GHz, 2.5 GHz, 4 GHz, 6 GHz, 8 GHz, 10 GHz	✓	600 MHz, 1 GHz, 2 GHz, 3, GHz, 4 GHz, 6 GHz
Max Bandwidth on <u>four</u> channels	~	Up to 10 GHz	x	Up to 4 GHz
Analog Sample Rate on <u>four</u> channels	~	25 GS/s	×	10 GS/s
Number of Digital Channels	~	Up to 64 – with FlexChannels™	×	16 digital channels with MS option
Digital Channel Specifications	~	25 GS/s, 500 MHz, individual thresholds, +/-40 V	×	5 GS/s, 400 MHz, 4 grouped thresholds, +/-8 V
Number of Math / Bus channels / Measurements	~	As many as you want! (until memory runs out)	×	4 math / 4 buses / 8 measurements
Optional Arbitrary Function Generator (AFG)	×	Yes – optional 1 channel, 50 MHz	~	Yes – optional 2 channel, 100 MHz
Optional DVM/ Trigger Freq. Counter	~	Yes – Free with Registration	×	No DVM / Counter option
Standard Record Length	~	62.5 Mpts	x	50 Mpts
Segmented Memory (wfms/second)	~	>5,000,000 wfms/sec	x	>2,500,000 wfms/sec
Waveform Capture Rate (non-segmented memory)	×	>500,000 wfms/sec	~	1,000,000 wfms/sec
Analog to Digital Converter (ADC)	~	12-bit ADC	x	8-bit ADC
Effective Number of Bits (ENOB) @ 500 mV FS 90%	~	8.45 bits (1 GHz), 8.1 bits (2 GHz), 7.6 bits (4 GHz), 6.85 bits (8 GHz)	×	> 7.0 bits (Details Not Specified – BW, Scale)
High quality time base oscillator (OCXO)	✓	Included Standard	×	Option RTO-B4
Standard Analog Probes ( ≥1GHz models)	✓	1 GHz at 3.9pF	×	500 MHz at 10pF
Passive Probe (auto compensate / remembers data)	✓	Yes / Yes	×	No / No
Visual Trigger / Zone Trigger	✓	Included Standard – Draw as many as you want!	×	Option RTO-K19 – Only up to 8 zones
Floating Licenses (swap licenses between scopes)	✓	Yes – optional floating license can be purchased	×	Not Available
Operating System	✓	Std. Embedded OS or optional Windows 10 OS	×	Windows 10 Only
Screen Size & Resolution		15.6" Full High Definition 1920 x 1080	×	12.1" WXGA 1280 x 800
TriMode Probe (differential, single, common mode)		TDP7700 Series – up to 10 GHz	×	Not Available
Analysis / Compliance Packages	~	Jitter, Power, USB, Automotive, Ethernet, MIPI, DDR3 & LPDDR3, more coming soon	~	Jitter, Power, USB, Automotive, Ethernet, PCIe, MIPI

